SHEET 1	OF

			SHEET 1
FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY, DOCKET NO. DAVI192.001AUS	APPLICATION NO. 10/811,401
8	DISCLOSURE STATEMENT	APPLICANT MA et al.	
(USE SEVERA	L SHEETS IF NEWSESSARY)	FILING DATE July 1, 2003	GROUP Unknown

			U.S. PATENT DOCUMENTS			
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)

				FOREIGN PATENT DOCUMENTS						
EXAMINER		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANS	TRANSLATION		
INITIAL							YES	МО		
	一									

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
Q	1 "Single-tube three dimensional scanner for scanning tunneling microscopy" by Binning et al; Rev. Sci. Intrum. 57 (August 1986); pages 1688-1989
	2 "An ultrasonic micromotor using a bending cylindrical transducer based on PZT thin film" by Monta et al; Sensors and Actuators A 50 (1995); pages 75-80
	3 "A cylindrical shaped micro ultrasonic motor utilizing PZT thin film (1.4mm in diameter and 5.0mm long stator transducer)" by Morita et al; Sensors and Actuators 83 (2000); pages 225-230
	4 "A Cylindrical Micro Ultrasonic Motor Using PZT Thin Film Deposited by Single Process Hydrothermal Method (φ 2.4mm, L = 10mm Stator Transducer)" by Morita et al; IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, Vol. 45, No. 5 (September 1998); pages 1178-1187
	5 "A Cylindrical Ultrasonic Micro Motor Based on PZT Thin Film" by Kurosawa et al; IEEE Ultrasonics Symposium (1994); pages 549-552
V	6 "A micro ultrasonic motor fabricated by hydrothermal method (1.4mm in diameter and 5mm in length stator transducer)" by Morita et al; IEEE Ultrasonic Symposium (1998); pages 671-674

R:\DOCS\JWA\JWA-6720.DOC : ac 092603

	- I	A	! 					
EXAMINER	Q				DATE CONSIDERED	V	U	97
*EXAMINER:	INITIAL IF C	MOITATE	CONSIDERED.	WHETHER OR NOT CITATION I	S IN CONFORMANCE WITH	<b>APER</b>	60:	9; DRAW LINE THROUGH CITATION IF NOT

IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

	FOR	M PT	O-1449 U.S. DEPARTMENT PATENT AND TRA					APPLICA 10/611	ATION NO. ,401		
	SUPPLEN	NENT	AL INFORMATION DISCLOSUR	E STATEMEN	т						
6	IPE		BY APPLICANT		APPLICAN MA et al.						
	45	(USE	SEVERAL SHEETS IF NECESS	ARY)	FILING DA July 1, 20			GROUP 1753			
JAN	3 0 2004										
B.	4DEMANNER	9			U.S. PATEN1	DOCUMENTS	•				
1	EXAMINER INITIAL		DOCUMENT NUMBER		NAME		CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)		
	6	1	US 6,388,364	05/14/02	Cremer et al.						

EXAMINER INITIAL		OTHER DOCUMENTS					
0	2 "Electrophoretic Deposition of Advanced Ceramics" by CHENG et al; Processing and Fabrication of Adv Materials VIII (2000); pages 517-524						
	3	"Properties of Modified Lead Zirconate Titanate Ceramics Prepared at Low Temperature (800°C) by Hot Isostatic Pressing" by LI et al; <i>J. Am. Ceram. Soc.</i> 83 (2000); pages 955-957					
1	4	"Design of a Cylindrical Ultrasonic Micromotor to Obtain Mechanical Output" by MORITA et al; <i>Jpn. J. Appl. Phys.</i> Vol. 35 (1996); pages 3251-3254					
**	5	"Cylindrical Micro Ultrasonic Motor Utilizing Bulk Lead Zirconate Titanate (PZT)" by MORITA et al; <i>Jpn. J. Appl. Phys.</i> Vol. 38 (1999); pages 3347-3350					
	6	"Effect of Shear Stress on Sintering" by RAHAMAN et al; J. Am. Ceram. Soc. 69 (1986); pages 53-58					
	7	"Loss Mechanisms in Piezoelectrics: How to Measure Different Losses Separately" by UCHINO et al; IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control Vol. 48 (2001); pages 307-321					
	8	"Compact Ultrasonic Rotary Motors" by UCHINO et al; Ferroelectrics Vol. 257 (2001); pages 3-12					
	9	"Analysis of Bending Displacement of Lead Zirconate Titanate Thin Film Synthesized by Hydrothermal Method" by OHBA et al; <i>Jpn. J. Appl. Phys.</i> Vol. 32 (1993); pages 4095-4098					
	10	"Piezoelectric Properties of Niobium-Doped [Pb(Sc <sub>1/2</sub> Nb <sub>1/2</sub> ) <sub>1-X</sub> Ti <sub>x</sub> ]O <sub>3</sub> Ceramics Material near the Morphotropic Phase Boundary" by YAMASHITA et al; <i>Jpn. J. Appl. Phys.</i> Vol. 33 (1994); pages 4652-4656					
	11	"Piezoelectric tubes and tubular composites for actuator and sensor applications" by ZHANG et al; <i>J. Mater. Sci.</i> 28 (1993); pages 3962-3968					
	12	"Design and Fabrication of a High Performance Multilayer Piezoelectric Actuator with Bending Deformation" by YAO e al; IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control Vol. 46 (1999); pages 1020-1027					
	13	"Electromechanical Properties of Composite Bending-Type Transducers" by MARUTAKE et al; <i>Jpn. J. Appl. Phys.</i> Vol. 34 (1995); pages 5284-5287					
·A	14	"Ba(Ti <sub>1-5/4x</sub> Nb <sub>x</sub> )O <sub>3</sub> Relaxor Ferroelectrics" by ZHANG et al; Ferroelectrics Letters Vol. 29 (2002); pages 125-130					

R:\DOC\$\JWA\JWA-7267.DOC : ac 012204

	1	4	 	1		1
EXAMINER	('c)	Lai	DATE CONSIDERED '		Īī.	07
			ON IS IN CONFORMANCE WITH MPEP 6			N LINE THROUGH CITATION IF NOT

•- . .

							s	HEET 1 OF 1		
FOR	M P1	PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ATTY. DOCKET NO. SMARB12.002AUS APPLICATION NO. 10/611.401								
SUPPLEM	ENI	TAL INFORMATION DISCLOSUR BY APPLICANT	RE STATEMEN	APPLICANTS (1) Jan MA		-				
	(USI	SE SEVERAL SHEETS IF NECESSARY) 1 2 2004 STLING DATE GROUP 1753								
			TEM	WEET.						
			TIEME THAT	U.S. PATENT DOCUMENTS						
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS		DATE OPRIATE)		
(be	1	US 5,147,281	09/1992	Thornton et al.	/					
						· · ·				
				FOREIGN PATENT DOCUMENTS		,				
EXAMINER		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION			
INITIAL				•			YES	NO		
9	2	GB 2 054 756	02/1981	Great Britain	/		n/a			
,	3	GB 2 002 052	02/1979	Great Britain			n/a			
	4	EP 0 173 661	03/1986	Europe			n/a			
	5	EP 1 215 737	06/2002	Europe			n/a			
	6	JP 1996336967A	12/1996	Japan			yes			
V	7	JP 2002252391A	09/2002	Japan .			yes			
				-		/				
EXAMINER INITIAL		ОТ	HER DOCUME	ENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT	PAGES, I	ETC.)				
				·						

R:\DOCS\JWA\JWA-8086.DOC : ac 072804

	- []	1		٠			
EXAMINER	C	Man	DATE CONSIDERED	1	11	07	
·EYAMINED.	NITIAL IS CI	TATION CONSIDERED WHETHER OR N	IOT CITATION IS IN CONFORMANCE WITH	4050	enn n	PANELINE TUDOLICU CITATION	LIE NOT

\*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 608; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

FORMATION DISCLOSURE
STATEMENT BY APPLICANT

(Multiple sheets used when necessary)
SHEET 1 OF 1

6,592,335

Application No.	10/611,401
Filing Date	July 1, 2003
First Named Inventor	Jan Ma et al.
Art Unit	1753
Examiner	Mayekar, Kishor
Attorney Docket No.	SMARB12.002AUS

				U.S. PATENT	DOCUMENTS	
Examiner Initials		Cite No.	Document Number Number - Kind Code (if known) Example: 1,234,567 B1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
1	<del>\</del>	1	3,305,825	02-1967	Godbey	
		2	5,370,509	12-1994	Golding et al.	
<del>√</del>		3	5,761,782	06-1998	Sager	
		4	5,798,600	08-1998	Sager et al.	
		5	5,947,892	09-1999	Benkowski et al.	
		6	6,080,133	06-2000	Wampler	
	1	7	6,527,521	03-2003	Noda	

	FOREIGN PATENT DOCUMENTS									
Examiner Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	T <sup>1</sup>				
				·						
						· · · · · · · · · · · · · · · · · · ·				

Rosefsky

07-2003

NON PATENT LITERATURE DOCUMENTS						
Examiner Initials	Cite No.	include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T¹			

2728783 070506

Examiner Signature Date Considered 011110

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

T<sup>1</sup> - Place a check mark in this area when an English language Translation is attached.

DI	rn	ISB	IΩR	Equiva	lan
-		<i>1</i> 00	<i>,</i> vo	Cuuiva	

	Application No.	10/611,401
INFORMATION DISCLOSURE	Filing Date	July 1, 2003
STATEMENT BY APPLICANT	First Named Inventor	Jan Ma et al.
STATEMENT BY AFFEIGANT	Art Unit	1753
(Multiple sheets used when necessary)	Examiner	Kishor Mayekar
SHEET 1 OF 1	Attorney Docket No.	SMARB12.002AUS

	U.S. PATENT DOCUMENTS									
Examiner Cite No. Document Number Number - Kind Code (if knot Example: 1,234,567 B		Document Number Number - Kind Code (if known) Example: 1,234,567 B1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear					
0	1	6,349,455	02-26-2002	Yun et al.						
0	2	2002-0024270	02-28-2002	Yun et al.						
				•						
-144										

FOREIGN PATENT DOCUMENTS									
Examiner Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	T <sup>1</sup>			
(p_	3	JP 08-336967 A	12-24-1996	Fuji Electric Co. Ltd.					

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>1</sup>
6	4	Supplementary European Search Report, EP 04710575, July 20, 2006, 3 pg.	
•			

	1	A 6					<u> </u>
Examiner Signature	0.	May	Date Considered	V	11	L	07
			other or not citation is in conformance with MPEP 609.  The payof this form with next communication to applicant.	Dra	w li	ine	through citation if no

T<sup>1</sup> - Place a check mark in this area when an English language Translation is attached.